


DIABETES POLICY

Mandatory – Quality Area 2



Document classification: Policy	Version: 1.5	Date: 23/05/2024
---	------------------------	----------------------------

The content of this policy was developed by advocacy and diabetes educators at Diabetes Australia – Vic and the Royal Children’s Hospital Melbourne’s manager of diabetes education in Australia.

PURPOSE

To ensure that enrolled children with type 1 diabetes and their families are supported, while children are being educated and cared for by the service.

This *Diabetes Policy* should be read in conjunction with the *Dealing with Medical Conditions Policy* of Plenty Kids Early Learning Centre.

POLICY STATEMENT

Values

Plenty Kids Early Learning Centre believes in ensuring the safety and wellbeing of children living with type 1 diabetes, and is committed to:

- providing a safe and healthy environment in which children can participate fully in all aspects of the program
- actively involving the families in developing a risk minimisation plan for the service for each child to minimise health risk
- ensuring that all staff members and other adults at the service have adequate knowledge of diabetes and procedures to be followed in the event of a diabetes-related emergency
- facilitating ongoing communication between Plenty Kids Early Learning Centre and family to ensure the safety and wellbeing of children diagnosed with type 1 diabetes.

Scope

This policy applies to the approved provider, persons with management or control, nominated supervisor, persons in day to day charge, early childhood teachers, educators, staff, students, volunteers, families, children and others attending the programs and activities of Plenty Kids Early Learning Centre, including during offsite excursions and activities.

DIABETES POLICY

Mandatory – Quality Area 2

RESPONSIBILITIES	Approved provider and persons with management or control	Nominated supervisor and persons in day-to-day charge	Early childhood teacher, educators and all other staff	Families	Contractors, volunteers and students
R indicates legislation requirement, and should not be deleted					
Ensuring that a <i>Diabetes Policy</i> is developed, implemented and complied by all staff, families, students and volunteers by at Plenty Kids Early Learning Centre <i>Regulation 90</i>	R	√	√	√	√
Ensuring that at least one early childhood teacher/educator with current approved first aid qualifications (<i>refer to Definitions</i>) is in attendance and immediately available at all times that children are being educated and cared for by the service (<i>Regulation 136(1) (a)</i>). This can be the same person who has anaphylaxis management training and emergency asthma management training	R	√			
Ensuring that the nominated supervisor, early childhood teachers, educators, staff, families, students and volunteers at the service are provided with a copy of the <i>Diabetes Policy</i> , including the section on management strategies (<i>refer to Attachment 1</i>), and the <i>Dealing with Medical Conditions Policy</i> (<i>Regulation 91</i>)	R	√	√	√	√
Ensuring that all staff members and volunteers can identify the child living with diabetes, the child's medical management plan and the location of the child's medication are developed and implemented (<i>Regulation 90</i>)	R	√	√		√
Ensuring that the programs delivered at the service are inclusive of children living with type 1 diabetes (<i>refer to Inclusion and Equity Policy</i>), and can participate in all activities safely and to their full potential	R	√	√		√
Ensuring that the nominated supervisor, staff and volunteers at the service are aware and have discussed the child's diabetes action and management plan with their families. This plan details the strategies to be implemented for the child's diabetes management at the service (<i>refer to Attachment 1</i>)	R	√	√		√
Following and implementing the diabetes management strategies detailed on the child's diabetes action and management plan while at the service (<i>refer to Attachment 1</i>)		√	√		√
Administering medications as required, in accordance with the procedures outlined in the <i>Administration of Medication Policy</i> (<i>Regulation 93</i>)	R	R	√		

DIABETES POLICY

Mandatory – Quality Area 2

Ensuring that staff have access to appropriate professional development opportunities and are adequately resourced to work with children living with type 1 diabetes and their families	√	√	√	√	√
Organising appropriate professional development for early childhood teacher, educators and staff to enable them to work effectively with children living with type 1 diabetes and their families	√	√	√	√	√
Compiling a list of children (including their photograph) living with type 1 diabetes and placing it in a secure but readily accessible location known to all staff. This should include the diabetes action and management plan for each child	R	√	√	√	√
Ensuring that each enrolled child who is diagnosed with diabetes has a current diabetes action and management plan prepared specifically for that child by their diabetes medical specialist team, at enrolment or prior to commencement <i>Regulation 90</i>	R	√		√	
Ensuring that the nominated supervisor, early childhood teacher, educators, staff, students, volunteers and others at the service follow the child's diabetes action and management plan in the event of an incident at the service relating to their diabetes	R	√	√		√
Ensuring that a risk minimisation plan is developed for each enrolled child living with type 1 diabetes in consultation with the child's families, in accordance with <i>Regulation 90(iii)</i>	R	√		√	
Providing the service with a current diabetes action and management plan prepared specifically for their child by their diabetes medical specialist team				√	
Working with the approved provider to develop a care and risk minimisation plan for their child				√	
Ensuring that a communication plan is developed for staff and families at enrolment in accordance with <i>Regulation 90(iv)</i> , and encouraging ongoing communication between families and staff regarding the management of the child's medical condition	R	√	√	√	√
Working with the approved provider to develop a communication plan				√	
Communicating daily with families regarding the management of their child's diabetes		√	√	√	√
Ensuring that families provide the service with any equipment, medication or treatment, as specified in the child's individual diabetes action and management plan.	R	√		√	
Ensuring that programmed activities and experiences take into consideration the individual needs of all children, including children living with type 1 diabetes		√	√		√
Ensuring that children living with type 1 diabetes are not discriminated against in any way and are able to participate fully in all programs and activities at the service	R	√	√		√

Following appropriate reporting procedures set out in the <i>Incident, Injury, Trauma and Illness Policy</i> in the event that a child is ill or is involved in a medical emergency or an incident at the service that results in injury or trauma (<i>Regulation 86</i>).	R	√	√		√
--	---	---	---	--	---

Background and legislation

Background

Services that are subject to the *National Quality Framework* must have a policy for managing medical conditions in accordance with the *Education and Care Services National Law Act 2010* and the *Education and Care Services National Regulations 2011*. This policy must define practices in relation to:

- the management of medical conditions including administration of prescribed medications
- procedures requiring families to provide a medical management plan if an enrolled child has a relevant medical condition (including diabetes)
- development of a risk minimisation plan in consultation with the child’s family
- development of a communication plan in consultation with staff members and the child’s family.

Diabetes is considered a disability under the [Disability Standards for Education 2005 \(Cth\)](#) and the [Equal Opportunity Act 2010 \(Vic\)](#).

Staff members and volunteers must be informed about the practices to be followed in the management of specific medical conditions at the service. Families of an enrolled child with a specific health care need, allergy or other relevant medical condition must be provided with a copy of the *Dealing with Medical Conditions Policy* (in addition to any other relevant service policies). The *Education and Care Services National Regulations 2011* states that an approved provider must ensure that at least one educator with current approved first aid qualifications is in attendance and immediately available at all times that children are being educated and cared for by the service.

Services must ensure that each child with pre-existing type 1 diabetes has a current diabetes action and management plan prepared specifically for that child by their diabetes medical specialist team, at or prior to enrolment, and must implement strategies to assist children with type 1 diabetes. A child’s diabetes action and management plan provide staff members with all required information about that child’s diabetes care needs while attending the service.

The following lists key points to assist service staff to support children with type 1 diabetes:

- follow the service’s *Dealing with Medical Conditions Policy* (and this *Diabetes Policy*) and procedures for medical emergencies involving children with type 1 diabetes
- families should notify Plenty Kids Early Learning Centre immediately about any changes to the child’s individual diabetes action and management plan
- The child’s diabetes medical specialist team may include an endocrinologist, diabetes nurse educator and other allied health professionals. This team will provide families with a diabetes action and management plan to supply to the service. Examples can be found here: <http://www.diabetesvic.org.au/resources>
- Contact Diabetes Victoria for further support, information and professional development sessions.

Most children with type 1 diabetes can enjoy and participate in service programs and activities to their full potential but are likely to require additional support from service staff to manage their diabetes. While attendance at the service should not be an issue for children with type 1 diabetes, they may require time away to attend medical appointments.

Legislation and standards

Relevant legislation and standards include but are not limited to:

- Education and Care Services National Law Act 2010
- Education and Care Services National Regulations 2011
- Health Records Act 2001 (Vic)
- National Quality Standard, Quality Area 2: Children’s Health and Safety
- Occupational Health and Safety Act 2004 (Vic)
- Privacy and Data Protection Act 2014 (Vic)
- Privacy Act 1988 (Cth)
- Public Health and Wellbeing Act 2008
- Public Health and Wellbeing Regulations 2009 (Vic)

The most current amendments to listed legislation can be found at:

- Victorian Legislation – Victorian Law Today: www.legislation.vic.gov.au
- Commonwealth Legislation – Federal Register of Legislation: www.legislation.gov.au

Definitions

The terms defined in this section relate specifically to this policy. For regularly used terms e.g. approved provider, nominated supervisor, notifiable complaints, serious incidents, duty of care, etc. refer to the *General Definitions* section located on the [PVCC website](#).

The terms defined below have been reviewed in comparison with their definition as per the Diabetes Australia website. To find more information or an updated definition of the below terms please refer to the [Diabetes Australia website](#)

Type 1 diabetes: An autoimmune condition that occurs when the immune system damages the insulin producing cells in the pancreas. Type 1 diabetes is treated with insulin replacement via injections or a continuous infusion of insulin via a pump. Type 1 diabetes is not linked to modifiable lifestyle factors. Currently there is no cure nor can be prevented. Type 1 diabetes can be life threatening. - [Type 1 diabetes - Diabetes Australia](#)

Type 2 diabetes: Type 2 diabetes in children is a chronic disease that affects the way the body processes sugar (glucose) for fuel. Type 2 diabetes occurs more commonly in adults. If a child at your service is diagnosed with type 2 diabetes, please refer to the *Dealing with Medical Conditions Policy*. For more information about type 2 diabetes visit: [Type 2 Diabetes - Diabetes Australia](#)

Hypoglycaemia or hypo (low blood glucose): Hypoglycaemia refers to having a blood glucose level that is lower than normal i.e., below 4 mmol/L, even if there are no symptoms. Neurological symptoms can occur at blood glucose levels below 4 mmol/L and can include sweating, tremors, headache, pallor, poor co-ordination and mood changes. Hypoglycaemia can also impair concentration, behaviour and attention, and symptoms can include a vague manner and slurred speech.

Causes of hypoglycaemia (hypo) are:

- taking too much insulin
- delaying a meal
- consuming an insufficient quantity of carbohydrate at a meal
- undertaking unplanned or unusual exercise
- illness

It is important to treat hypoglycaemia promptly and appropriately to prevent the blood glucose level from falling even lower, as very low levels can lead to loss of consciousness and possibly convulsions. Never leave the child alone during a hypo episode.

The child's diabetes action and management plan will provide specific guidance for services in preventing and treating a hypo. - [Hypoglycaemia - Diabetes Australia](#)

Hyperglycaemia (high blood glucose): Hyperglycaemia occurs when the blood glucose level rises above 15 mmol/L. Hyperglycaemia symptoms can include increased thirst, tiredness, irritability and extra toilet visits, affect thinking, concentration, memory, problem-solving and reasoning. Common causes include but are not limited to:

- taking insufficient insulin/or missed insulin dose
- eating more carbohydrate than planned
- common illnesses or infections such as a cold
- excitement or stress.

The child's diabetes action and management plan will provide specific guidance in preventing and treating a high glucose level (hyperglycaemia). - [Hyperglycaemia - Diabetes Australia](#)

Insulin: Medication prescribed and administered by injection or continuously by a pump device to lower the blood glucose level. In the body, insulin allows glucose from food (carbohydrates) to be used as energy and is essential for life. - [Insulin - Diabetes Australia](#)

Blood glucose meter: A compact device used to check a small blood drop sample to determine the blood glucose level. - [Blood glucose monitors - Diabetes Australia](#)

Continuous Glucose Monitor: Continuous Glucose Monitoring (CGM) is a means of measuring glucose levels continuously, in contrast to a blood glucose meter that measures a single point in time. A Continuous Glucose Monitoring System sensor is inserted into the skin separately to the insulin pump and measures the level of glucose in the interstitial fluid (fluid in the tissue).

The sensor continuously sends real-time glucose readings wirelessly to a receiver (the insulin pump, a smart phone or dedicated device) so the user can view the information. The CGM receiver and/or compatible smart device can usually be set to send custom alerts to the user when certain glucose thresholds are reached or if levels are changing rapidly, reducing or eliminating the need for blood glucose finger prick tests and enabling early intervention to prevent the person becoming 'hypo' or 'hyper'. Children in Australia with type 1 diabetes have free access to CGM technology. - [Continuous glucose monitoring - Diabetes Australia](#)

Flash Glucose Monitor: Flash Glucose Monitoring (FGM) uses a sensor attached to the skin, much like a continuous glucose monitor, to measure glucose levels without finger pricks. In contrast to CGM, the FGM sensor will not continuously send readings to a device. The reader (certain blood glucose monitors and smart phones) is scanned over the sensor to obtain the data. [Flash glucose monitoring - Diabetes Australia](#)

Insulin pump: An insulin pump is a small battery-operated electronic device that holds a reservoir of insulin. It is about the size of a mobile phone and is worn 24 hours a day. The pump is programmed to deliver insulin into the body through thin plastic tubing known as the infusion set or giving set. The pump is worn outside the body, in a pouch or on your belt. The infusion set has a fine needle or flexible cannula that is inserted just below the skin where it stays in place. - [Insulin pumps - Diabetes Australia](#)

Ketoacidosis: Ketoacidosis is related to hyperglycaemia, it is a serious condition associated with illness or very high blood glucose levels in type 1 diabetes. It develops gradually over hours or days. It is a sign of insufficient insulin. High levels of ketones can make children very sick. Extra insulin is required (given to children by families) when ketone levels are >0.6 mmol/L if insulin is delivered via a pump, or >1.0 mmol/L if on injected insulin.

Symptoms of ketoacidosis may include high blood glucose levels and moderate to heavy ketones in the urine with rapid breathing, flushed cheeks, abdominal pain, sweet acetone (similar to paint thinner or nail polish remover) smell on the breath, vomiting and/or dehydration.

This is a serious medical emergency and can be life threatening if not treated properly. If the symptoms are present, contact a doctor or call an ambulance immediately. - [Ketoacidosis - Diabetes Australia](#)

Sources and related policies

Sources

- Caring for Diabetes in Children and Adolescents, Royal Children's Hospital Melbourne: <http://www.rch.org.au/diabetesmanual/>
- Diabetes Victoria, multiple resources available to download here: www.diabetesvic.org.au/resources
- Information about professional learning for teachers (i.e. *Diabetes in Schools* one day seminars for teachers and early childhood staff), sample management plans and online resources
- Diabetes Victoria, Professional development program for schools and early childhood settings: https://www.diabetesvic.org.au/how-we-help-detail?tags=Left-Mega-Nav%2FSchools&content_id=a1R9000000HsgqyEAB&bdc=1
- *Diabetes in Schools - Resources and Information:* <https://www.diabetesinschools.com.au/resources-and-information/>

Related policies

- [Administration of First Aid Policy](#)
- [Administration of Medication Policy](#)
- [Child Safe Environment and Wellbeing Policy](#)
- [Dealing with Medical Conditions Policy](#)
- [Enrolment and Orientation Policy](#)
- [Excursions and Service Events Policy](#)
- [Food Safety Policy](#)
- [Hygiene Policy](#)
- [Incident, Injury, Trauma and Illness Policy](#)
- [Inclusion and Equity Policy](#)
- [Nutrition and Active Play Policy](#)
- [Occupational Health and Safety Policy](#)
- [Privacy and Confidentiality Policy](#)
- [Supervision of Children Policy](#)

EVALUATION

In order to assess whether the values and purposes of the policy have been achieved, the approved provider will:

- selectively audit enrolment checklists to ensure that documentation is current and complete
- regularly seek feedback from everyone affected by the policy regarding its effectiveness
- monitor the implementation, compliance, complaints and incidents in relation to this policy
- keep the policy up to date with current legislation, research, policy and best practice
- revise the policy and procedures as part of the service's policy review cycle, or following a hypo emergency at the service, to identify any changes required
- notifying all stakeholders at least 14 days before making any significant changes to this policy or its procedures, unless a lesser period is necessary due to risk (*Regulation 172 (2)*).

ATTACHMENTS

- Attachment 1: Strategies for the management of diabetes in children at Plenty Kids Early Learning Centre.

Attachment 1

Strategies for the management of diabetes in children at Plenty Kids Early Learning Centre

Strategy	Action
Monitoring of blood glucose (BG) levels	<ul style="list-style-type: none"> • Checking of blood glucose (BG) levels is performed using a blood glucose meter, continuous glucose monitoring or a flash glucose monitor (<i>refer to Definitions</i>) and a finger pricking device. The child’s diabetes action and management plan should state the times that BG levels should be checked, the method of relaying information to parents/guardians about BG levels and any intervention required if the BG level is found to be below or above certain thresholds. A communication book can be used to provide information about the child’s BG levels between parents/guardians and the service at the end of each session. • Children are likely to need assistance with performing BG checks. • Parents/guardians should be asked to teach service staff about BG checking procedures. • Parents/guardians are responsible for supplying a blood glucose meter or in-date test strips if required their child while at the service.
Managing hypoglycaemia (hypos)	<ul style="list-style-type: none"> • Hypos or suspected hypos should be recognised and treated promptly, according to the instructions provided in the child’s diabetes action and management plan. • Parents/guardians are responsible for providing the service with oral hypoglycaemia treatment (hypo food) for their child in an appropriately labelled container. • This hypo container must be securely stored and readily accessible to all staff.
Administering insulin	<ul style="list-style-type: none"> • Administration of insulin during service hours may be required; this will be specified in the child’s diabetes action and management plan. • As a guide, insulin for service-aged children is commonly administered: <ul style="list-style-type: none"> - twice a day: before breakfast and dinner at home - by a small insulin pump worn by the child - If insulin is required please seek specific advice from the child’s diabetes treatment team.
Managing ketones	<ul style="list-style-type: none"> • Ketone checking may be required when their blood glucose level is >15.0 mmol/L. • Refer to the child’s diabetes action and management plan.
Off-site excursions and activities	<ul style="list-style-type: none"> • With good planning, children should be able to participate fully in all service activities, including attending excursions. • The child’s diabetes action and management plan should be reviewed prior to an excursion, with additional advice provided by the child’s diabetes medical specialist team and/or parents/guardians, as required.
Infection control	<ul style="list-style-type: none"> • Infection control procedures must be developed and followed. Infection control measures include being informed about ways to prevent infection and cross-infection when checking BG levels, handwashing, having one device per child and not sharing devices between individuals, using disposable lancets and safely disposing of all medical waste.

DIABETES POLICY

Mandatory – Quality Area 2

Timing meals	<ul style="list-style-type: none">• Most meal requirements will fit into regular service routines.• Children with diabetes require extra supervision at meal and snack times to ensure that they eat all their carbohydrates. If an activity is running overtime, children with diabetes <u>cannot have delayed meal times</u>. <u>Missed or delayed carbohydrate is likely to induce hypoglycaemia (hypo)</u>.
Physical activity	<ul style="list-style-type: none">• Exercise in excess of the normal day to day activities of play should be preceded by a serve of carbohydrates.• Exercise is not recommended for children whose BG levels are high, as it may cause BG levels to become more elevated.• Refer to the child's diabetes action and management plan for specific requirements in relation to physical activity.
Participation in special events	<ul style="list-style-type: none">• Special events, such as class parties, can include children with type 1 diabetes in consultation with their parents/guardians.• Services should provide food and drink alternatives when catering for special events, such as low sugar or sugar-free drinks and/or sweets. This should be planned in consultation with parents/guardians.
Communicating with parents	<ul style="list-style-type: none">• Services should communicate directly and regularly with parents/guardians to ensure that their child's individual diabetes action and management plan is current.• Services should establish a mutually agreeable home-to-service means of communication to relay health information and any health changes or concerns.• Setting up a communication book is recommended and, where appropriate, make use of emails and/or text messaging.

DIABETES POLICY

Mandatory – Quality Area 2

DOCUMENT HISTORY AND VERSION CONTROL RECORD

Name of document:	PKELC Diabetes Policy
Responsible officer:	Centre Administrator
Approved by:	Principal (Approved Provider)
Assigned review period:	Triennially
Date of next review:	May 2027
Category:	Staff & Parents

Version number	Version date	Responsible officer	Amendment details
0.1	04/12/2017	Centre Director	Initial issue as a controlled document.
1.0	20/04/2018	Principal	Approved policy.
1.1	21/05/2020	Centre Director	Minor changes to wording.
1.1	21/05/2020	Principal	Approved and signed.
1.2	29/10/2020	Centre Director	Policy formatted in line with new style guide.
1.3	29/05/2023	Centre Administrator	Reviewed and updated in line with ELAA recommendations.
1.4	31/05/2023	Principal	Approved and signed
1.5	28/05/2024	Centre Administrator	Minor formatting updates, no ELAA updates

Approved By:

Date: 28/05/2024



Principal